Equipment/Supplies	Minimum Equipment	Recommended additional supply	AEMT	EMT-CC	EMT-P	
	Required	additional supply				
10% Dextrose 25g/unit 250 ml	2	1	Х	Х	Х	
Adenosine:6mg/2ml	3	3		Х	Х	
Albuterol 2.5 mg/3ml	2	2	Х	Х	Х	
Ipratropium .5mg/2.5ml	2	2	Х	Х	Х	
	nstead of albuterol and Ipratropium separately- 2 in portable and 2 on ambulance)					
Amiodorone:150mg/3ml Amp	3	2		Х	X	
Aspirin: 81mg Chewable or 325 mg Non	1	1	Х	Х	Х	
enteric coated tabs	Bottle	Bottle				
Atropine Sulfate: 1mg/10ml	2	2		Х	Х	
Calcium Chloride 1g/10ml	1	1			Х	
Dexamethasone 10 mg/ml	1	1		Х	Х	
Diphenhydramine: 50mg/1ml Vial	2	2		Х	Х	
Epinephrine: 1:10,000 1mg/10ml (PL)	6	4	Х	Х	Х	
Epinephrine: 1:1000 1mg/1ml	2	2	Х	Х	Х	
Glucagon: 1mg/1ml Vial	1	1	Х	Х	Х	
Haloperidol (Haldol) 5mg/1ml	1	1		Х	Х	
Lidocaine: 100mg/5ml (you can carry premix in addition to bolus)	2	2		Х	Х	
Mag Sulfate: 5G/10ml or 1G/2ml	1 or 4	1 or 4		Х	Х	
Metoprolol: 5mg/5ml	3	1		Х	Х	
Naloxone: 2mg/2ml	2	1	Х	Х	Х	
NTG Tabs: 0.4mg SL Tablets	1	1	Х	Х	Х	
Norepinephrine 4mg/4ml	1	0		Х	Х	
Ondansetron (Zofran) 4mg/2ml	2	1		Х	Х	
Oxymetazoline	1	0		Х	Х	
Sodium Bicarbonate 50 mEq 7.5% or 8.4 %	1	1		Х	Х	
Ketorolac (Toradol): 30mg/1ml	1	1		Х	Х	
lodine preps or solution	1	0			Х	
Narcotics- Required for EMT- CC and P Units						
Midazolam: 5mg/5ml	Controlled su	i Instance quantities t	o he deta	rmined by me	edical	
Wildazəram. 3119/31111	Controlled substance quantities to be determined by medical director/pharmacy agent per approved plan					
Morphine: 10mg/1ml			•		edical	
Weipinie. 10mg/1mi	Controlled substance quantities to be determined by medical director/pharmacy per approved plan					
Fentanyl: 100mcg/2ml Ampule	Controlled substance quantities to be determined by medical					
Optional, must be added to CS plan		rmacy per approved		- ·····		
Ketamine: 100 mg/ml in 5 ml	Controlled substance quantities to be determined by medical					
Optional, must be added to CS plan	director/pharmacy per approved plan					
Optional Medications	and the second process of the second process					
Anesthetic Spray	1	1			Х	
Diltiazem:5mg/1ml Vial (refrigerated or replaced every 30 days)	1	1		Х	Х	
(If 100 mg Add-Vantage Vial is used, you will need diluent as w	ell (does not need r	efrigeration but make sure a	all are traine	d to avoid potential	medication error)	
Equipment/Supplies	Minimum	Recommended	AEMT	EMT-CC	EMT-P	
	Equipment	additional supply				
	Required					

Optional Medications continued					
Nitrous Oxide: 50/50	1 Unit		Х	Х	Х
NTG Spray 0.4 mg	1	1	X	X	X
NTG Paste: 1g/packet or Tube	1	0	X	X	X
Dexamethasone 4 mg tablets	1	0		X	X
Ondansetron (Zofran) 4 mg ODT tablets	1	0		X	X
IV Tylenol 1000mg				, A	X
Acetaminophen PO Unit Dose 325 mg/10.15 mL or 160/5 mL	1	0	Х	Х	x
Ibuprofen 100 mg/ 5 mL	1	0	X	X	X
Tranexamic Acid (TXA) 100 milligram per mL	1	0	^	^	X
bottles of 10 mL each (total = 1 gram per vial)	1	0			^
Tetracaine Ophthalmic and Morgan lenses	1	0		Х	Х
Cyanokit	1	0		Х	X
Bottled Potable Water (8oz min.) for PO	1	0		Х	X
med					
Other required Items					
Normal Saline- Bag size optional must have total ml. and at least one (1) 1000 ml bag	1000 ml	2000 ml	Х	Х	Х
100 ml Normal Saline for medication admin.	1	1		Х	Х
10cc Normal Saline Prefill Syringe	2	2	Х	Х	Х
Macro Drip IV Admin Set	2	2	Х	Х	Х
Micro Drip IV Admin Set	1	1		Х	Х
Dial a Flow IV Tubing or comparable gravity		1		Х	X
drip set (see note at end of list)	_	_			
Saline lock	4	4	Х	X	X
PRN Adapter (Optional)	1	1	Х	X	X
3 Way Stopcock	1	1	X	X	Х
IV Catheters					
16 Gauge	2	2	Х	Х	X
18 Gauge	2	2	X	X	Х
20 Gauge	2	2	Х	Х	X
22 Gauge	1	1		X	X
24 Gauge	1	1		X	X
IV Start Kits w/ alcohol wipe, gauze or Band- Aid, transparent dressing or tape, tourniquet	2	2	Х	X	Х
9" or 18" padded arm board	1	1	Х	Х	Х
Intraosseous Needle Adult	1	1	Х	Х	Х
Intraosseous Needle Pediatric	1	1	Х	Х	Х
1cc Syringe	2	2	Х	Х	Х
3cc Syringe	2	2	Х	Х	Х
5cc Syringe - Optional	2	2	X	X	X
10cc Syringe	2	2	X	X	X
60CC Syringe	1	1	X	X	X
18 Gauge Needle- Optional for med draws	2	1	X	X	X
21- or 22-Gauge Needle for Adult IM	2	1	X	X	X
				-	-
25 Gauge Needle- for Child IM	2	1	Х	X	X

Equipment/Supplies	Minimum Equipment Required	Recommended additional supply	AEMT	EMT-CC	EMT-P
14g x 3.25" IV Catheter	2	1		Х	X
Intranasal (MAD) Atomizer	1	1	X	X	X
Glucometer	1	0	Х	X	X
Glucometer Test Strips	10+	10+	X	X	X
Laryngoscope Handle- 1 adult, 1 Pediatric	1	0	X	X	X
Laryngoscope Blades					
Curved - 2	1	0		X	X
Curved - 3	1	0		X	X
Curved - 4	1	0		X	X
Straight - 0	1	0			X
Straight - 1	1	0			X
Straight - 2	1	0			Х
Straight - 3	1	0		Х	X
Straight - 4	1	0		Х	Х
Adult Magill Forceps	1	0		Х	Х
Pediatric Magill Forceps	1	0		Х	Х
Bougie ET Introducer	1	0		Х	Х
ET Tube Restraint Adult	1	0		Х	Х
ET Tube Restraint Pediatric	1	0			Х
Endotracheal Tubes- All tubes should be cuffed					
3.0	1	1			X
3.5	1	1			X
4.0	1	1			Х
4.5	1	1			Х
5.0	1	1			Х
5.5	1	1			Х
6.0	1	1		Х	Х
6.5	1	1		Х	Х
7.0	1	1		Х	Х
7.5	1	1		Х	Х
8.0	1	1		Х	Х
Adult Stylet	1	1		Х	Х
Pediatric Stylet	1	1			Х
Water Soluble Lubricant Tube / Packs	1 or 4	1 or 4		Х	Х
10CC Syringe for Airway Adjuncts	2	2		Χ	Х
Supraglottic Airway Device Adult	1	1	Х	Χ	Х
Supraglottic Airway Device Pediatric	1	1		Χ	Х
CPAP (if equipped and trained)	1 adult set	1 adult set		Χ	Х
Nebulizer	1	1	Х	Χ	Х
Neonate BVM face mask	1	0	Х	Х	Х

Equipment/Supplies	Minimum Equipment Required	Recommended additional supply	AEMT	EMT-CC	EMT-P
Second intubation kit optional					
Extra batteries and bulbs for intubation kit	recommended				
Surgical Airway equipment (Scalpel)	1	0			Χ
	Orogastri	c Tubes			
8 French	1	0			Х
10 French	1	0			Х
14 French	1	0			Х
16 French	1	0			Х
Suction Catheters					
12 French (other sizes required in part 800)	1	1	Х	Χ	Х
14 French	1	1	Х	Х	Х
Protocol Book or App	1	0	Χ	Х	X
Pediatric Measuring Device	1	0	Х	Х	Х
Cardiac Monitor / Defibrillator with 12 lead	1	0		Х	Х
Defib Combo Pad (adult) or equivalent	1	1		Х	Х
Defib Combo Pad (pediatric) or equivalent	1	1		Х	Х
AED	*	1	Х		
AED Pad (adult)	1	1	Х		
AED Pad (pediatric)	1	1	Х		
Capnography (Continuous Waveform)	1	0	Х	Х	Х
Pulse Oximetry Adult	1	0	Х	Х	Х
Ability to monitor Pediatric Pulse Oximetry	1	0	Х	Х	Х
Disposable Razor/clippers	1	2	Х	Х	Х
EKG Electrode Set	2	6		Х	Х
EKG Electrode Set – Pediatric and	Optional				
Diaphoretic					
RSI Medications and Equipment- Paramedic	Quantities				
Only- Agency and provider must be	listed or				
approved to do RSI	comparable total				
(Program in Development)	milligrams				
Succinylcholine: 20mg/ml in 10ml	2				
Etomidate: 2mg/ml - 10ml Vial	1	1			Х
Rocuronium: 10 mg/ml in 5 ml vial	2				Х

- ALS Fly Cars are to carry what is on the minimum required list.
- Transport ambulances are minimally required to carry what is on the required list, most items should be in a portable bag (enabling the meds/equipment to be brought to the patient). Recommended items can be carried on the ambulance or in the portable bag based on the agencies needs for their patient population.
- A current NYS Department of Health Limited-Service Registration is required for glucometry
- Dial a flow or gravity IV set training should be done per manufacturer recommendations
- We realize that all pharmacies or medical suppliers may offer medications in different concentration and that is ok if you have a comparable milligram amount to what is listed.