Equipment/Supplies	Minimum Equipment Required	Recommended additional supply	ΑΕΜΤ	EMT-CC	EMT-P		
10% Dextrose 25g/unit 250 ml	2	1	Х	Х	Х		
Adenosine:6mg/2ml	3	3		Х	Х		
Albuterol 2.5 mg/3ml	2	2	Х	Х	Х		
Ipratropium .5mg/2.5ml	2	2	Х	Х	Х		
(AEMT, EMT -CC and P Units may carry "Duoneb", inste	ad of albuterol a	nd Ipratropium separatel	y- 2 in port	able and 2 on am	ibulance)		
Amiodorone:150mg/3ml Amp	3	2		Х	Х		
Aspirin: 81mg Chewable or 325 mg Non	1	1	Х	Х	Х		
enteric coated tabs	Bottle	Bottle					
Atropine Sulfate: 1mg/10ml	2	2		Х	Х		
Calcium Chloride 1g/10ml	1	1			Х		
Dexamethasone 10 mg/ml	1	1		Х	Х		
Diphenhydramine: 50mg/1ml Vial	2	2		Х	Х		
Epinephrine: 1:10,000 1mg/10ml (PL)	6	4	Х	х	Х		
Epinephrine: 1:1000 1mg/1ml	2	2	Х	х	Х		
Glucagon: 1mg/1ml Vial	1	1	Х	х	Х		
Haloperidol (Haldol) 5mg/1ml	1	1		х	Х		
Lidocaine: 100mg/5ml (you can carry premix in	2	2		х	Х		
addition to bolus)	_	_					
Mag Sulfate: 5G/10ml or 1G/2ml	1 or 4	1 or 4		Х	Х		
Metoprolol: 5mg/5ml	3	1		Х	Х		
Naloxone: 2mg/2ml	2	1	Х	Х	Х		
NTG Tabs: 0.4mg SL Tablets	1	1	Х	Х	Х		
Norepinephrine 4mg/4ml	1	0		Х	Х		
Ondansetron (Zofran) 4mg/2ml	2	1		Х	Х		
Sodium Bicarbonate 50 mEq 7.5% or 8.4 %	1	1		Х	Х		
Ketorolac (Toradol): 30mg/1ml	1	1		Х	Х		
lodine preps or solution	1	0			X		
Narcotics- Required for EMT- CC and P Units							
Midazolam: 5mg/5ml	Controlled substance quantities to be determined by medical						
	director/pharmacy agent per approved plan						
Morphine: 10mg/1ml	Controlled substance quantities to be determined by medical						
	director/pharmacy per approved plan						
Fentanyl: 100mcg/2ml Ampule	Controlled substance quantities to be determined by medical						
Optional, must be added to CS plan	director/pharmacy per approved plan						
Ketamine: 100 mg/ml in 5 ml	Controlled substance quantities to be determined by medical						
Optional, must be added to CS plan	director/pharmacy per approved plan						
Optional Medications		,					
Anesthetic Spray	1	1			Х		
Diltiazem:5mg/1ml Vial (refrigerated or replaced	1	1		Х	X		
every 30 days)	_	_					
(If 100 mg Add-Vantage Vial is used, you will need diluent as w	ell (does not need r	efrigeration but make sure a	all are traine	d to avoid potentia	medication error)		
Equipment/Supplies	Minimum Equipment Required	Recommended additional supply	ΑΕΜΤ	EMT-CC	EMT-P		

Nitrous Oxide: 50/50	1 Unit		Х	Х	Х
NTG Spray 0.4 mg	1	1	Х	Х	Х
NTG Paste: 1g/packet or Tube	1	0	Х	Х	Х
Dexamethasone 4 mg tablets	1	0		Х	Х
Ondansetron (Zofran) 4 mg ODT tablets	1	0		Х	Х
IV Tylenol 1000mg					Х
Acetaminophen PO Unit Dose 325 mg/10.15	1	0	Х	Х	x
mL or 160/5 mL		-			
Ibuprofen 100 mg/ 5 mL	1	0	Х	Х	Х
Oxymetazoline	1	0		Х	Х
, Tranexamic Acid (TXA) 100 milligram per mL	1	0			Х
bottles of 10 mL each (total = 1 gram per					
vial)					
Tetracaine Ophthalmic and Morgan lenses	1	0		Х	Х
Cyanokit	1	0		Х	Х
Bottled Potable Water (8oz min.) for PO	1	0		Х	Х
med					
Other required Items					
Normal Saline- Bag size optional must have	1000 ml	2000 ml	Х	Х	Х
total ml. and at least one (1) 1000 ml bag					
100 ml Normal Saline for medication admin.	1	1		Х	Х
10cc Normal Saline Prefill Syringe	2	2	Х	Х	Х
Macro Drip IV Admin Set	2	2	Х	Х	Х
Micro Drip IV Admin Set	1	1		Х	Х
Dial a Flow IV Tubing or comparable gravity		1		X	X
drip set (see note at end of list)					
Saline lock	4	4	Х	Х	Х
PRN Adapter (Optional)	1	1	Х	Х	Х
3 Way Stopcock	1	1	Х	Х	Х
IV Catheters					
16 Gauge	2	2	Х	Х	Х
18 Gauge	2	2	Х	Х	Х
20 Gauge	2	2	Х	Х	Х
22 Gauge	1	1		Х	Х
24 Gauge	1	1		Х	Х
IV Start Kits w/ alcohol wipe, gauze or Band-	2	2	Х	X	X
Aid, transparent dressing or tape, tourniquet					
9" or 18" padded arm board	1	1	X	Х	Х
Intraosseous Needle Adult	1	1	X	× X	X
Intraosseous Needle Pediatric	1	1	X	X	X
1cc Syringe	2	2	X	X	X
3cc Syringe	2	2	Х	Х	Х
5cc Syringe - Optional	2	2	Х	Х	Х
10cc Syringe	2	2	Х	Х	Х
60CC Syringe	1	1	Х	Х	Х
18 Gauge Needle- Optional for med draws	2	1	Х	Х	Х
21- or 22-Gauge Needle for Adult IM	2	1	Х	Х	Х
25 Gauge Needle- for Child IM	2	1	Х	Х	Х

Equipment/Supplies	Minimum Equipment Required	Recommended additional supply	AEMT	EMT-CC	EMT-P
14g x 3.25" IV Catheter	2	1		Х	Х
Intranasal (MAD) Atomizer	1	1	Х	х	Х
Glucometer	1	0	Х	х	Х
Glucometer Test Strips	10+	10+	Х	Х	Х
Laryngoscope Handle- 1 adult, 1 Pediatric	1	0	Х	Х	Х
Laryngoscope Blades					
Curved - 2	1	0		Х	Х
Curved - 3	1	0		Х	Х
Curved - 4	1	0		Х	Х
Straight - 0	1	0			Х
Straight - 1	1	0			Х
Straight - 2	1	0			Х
Straight - 3	1	0		Х	Х
Straight - 4	1	0		Х	Х
Adult Magill Forceps	1	0		Х	Х
Pediatric Magill Forceps	1	0		Х	Х
Bougie ET Introducer	1	0		Х	Х
ET Tube Restraint Adult	1	0		Х	Х
ET Tube Restraint Pediatric	1	0			Х
Endotracheal Tubes- All tubes should be cuffed					
3.0	1	1			Х
3.5	1	1			Х
4.0	1	1			Х
4.5	1	1			Х
5.0	1	1			Х
5.5	1	1			Х
6.0	1	1		Х	Х
6.5	1	1		х	Х
7.0	1	1		Х	Х
7.5	1	1		Х	Х
8.0	1	1		Х	Х
Adult Stylet	1	1		Х	Х
Pediatric Stylet	1	1			Х
Water Soluble Lubricant Tube / Packs	1 or 4	1 or 4		Х	Х
10CC Syringe for Airway Adjuncts	2	2		Х	Х
Supraglottic Airway Device Adult	1	1	Х	Х	Х
Supraglottic Airway Device Pediatric	1	1		Х	Х
CPAP (if equipped and trained)	1 adult set	1 adult set		Х	Х
Nebulizer	1	1	Х	Х	Х
Neonate BVM face mask	1	0	Х	Х	Х

Equipment/Supplies	Minimum Equipment Required	Recommended additional supply	AEMT	EMT-CC	EMT-P
Second intubation kit optional					
Extra batteries and bulbs for intubation kit	recommended				
Surgical Airway equipment (Scalpel)	1	0			Х
	Orogastri	ic Tubes			
8 French	1	0			Х
10 French	1	0			Х
14 French	1	0			Х
16 French	1	0			Х
Suction Catheters					
12 French (other sizes required in part 800)	1	1	Х	Х	Х
14 French	1	1	Х	Х	Х
Protocol Book or App	1	0	Х	Х	Х
Pediatric Measuring Device	1	0	Х	Х	Х
Cardiac Monitor / Defibrillator with 12 lead	1	0		Х	Х
Defib Combo Pad (adult) or equivalent	1	1		Х	Х
Defib Combo Pad (pediatric) or equivalent	1	1		Х	Х
AED	*	1	Х		
AED Pad (adult)	1	1	Х		
AED Pad (pediatric)	1	1	Х		
Capnography (Continuous Waveform)	1	0	Х	Х	Х
Pulse Oximetry Adult	1	0	Х	Х	Х
Ability to monitor Pediatric Pulse Oximetry	1	0	Х	Х	Х
Disposable Razor/clippers	1	2	Х	Х	Х
EKG Electrode Set	2	6		Х	Х
EKG Electrode Set – Pediatric and	Optional				
Diaphoretic					
<b>RSI Medications and Equipment- Paramedic</b>	Quantities				
Only- Agency and provider must be	listed or comparable				
approved to do RSI (Program in Development)	total				
	milligrams				
Succinylcholine: 20mg/ml in 10ml	2				
Etomidate: 2mg/ml - 10ml Vial	1	1			Х
Rocuronium: 10 mg/ml in 5 ml vial	2				Х

• ALS Fly Cars are to carry what is on the minimum required list.

- Transport ambulances are minimally required to carry what is on the required list, most items should be in a portable bag (enabling the meds/equipment to be brought to the patient). Recommended items can be carried on the ambulance or in the portable bag based on the agencies needs for their patient population.
- A current NYS Department of Health Limited-Service Registration is required for glucometry
- Dial a flow or gravity IV set training should be done per manufacturer recommendations
- We realize that all pharmacies or medical suppliers may offer medications in different concentration and that is ok if you have a comparable milligram amount to what is listed.